

## ORIGINAL RESEARCH ARTICLE

# An enhanced feature based classification model for plant diseases detection using CNN technique

Amit Verma<sup>1,2,\*</sup>, Shweta Chauhan<sup>1,2,3</sup>

<sup>1</sup> Department of Computer Science and Engineering, Chandigarh University, Gharuan, Mohali 140413, Punjab, India

<sup>2</sup> University Centre for Research and Development, Chandigarh University, Gharuan, Mohali 140413, Punjab, India

<sup>3</sup> Apex Institute of Technology, Chandigarh University, Gharuan, Mohali 140413, Punjab, India

\* Corresponding author: Amit Verma, amit.e9679@cumail.in

## ABSTRACT

The agriculture industry is vital to maintaining global food security, prompt and precise plant disease detection is critical to crop protection and yield optimization. Conventional techniques for diagnosing diseases frequently depend on skilled professionals' subjective and time-consuming visual assessment. Deep learning methods have become effective instruments for automating plant disease identification and diagnosis in recent years, with the promise for quick and accurate evaluation. The capacity of the suggested convolutional neural network (CNN)-based model to detect plant diseases to capture complex patterns and temporal relationships in a variety of plant datasets is critically analysed.

**Keywords:** computer vision; crop management; convolutional neural network; automation techniques

## ARTICLE INFO

Received: 4 January 2024

Accepted: 25 January 2024

Available online: 2 July 2024

## COPYRIGHT

Copyright © 2024 by author(s).

Journal of Autonomous Intelligence is published by Frontier Scientific Publishing.

This work is licensed under the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0).

<https://creativecommons.org/licenses/by-nc/4.0/>

## 1. Introduction

India is the land of agriculture where crop production plays a significant role in the agriculture industry and the country's economy<sup>[1]</sup>. Crop production is facing issues widespread in India. Leaf plays an essential function in crops because it provides information about the quantity and quality of agricultural production<sup>[2-3]</sup>. Crop disease is one of the most important factors influencing on it. Leaf spot diseases damage trees and shrubs by interfering with photosynthesis, the process through which plants produce energy that fuels their development and defensive systems, as well as influencing their survival. The production is decrease day by day due to a variety of causes, i.e., being plant illnesses that go undetected for long periods of time.

Artificial Intelligence in agriculture not only helping farmers to automate their farming but also shifts to precise cultivation for higher crop yield and better quality while using fewer resources. Researchers involved in improving machine learning/Artificial Intelligence-based products or services for training data for agriculture, drone, and automated machine making will get technological advancement to provide more practical applications. These applications are helping the world deal with food production issues for the future growing population. The article will help researchers explore different avenues regarding automation techniques, applying them to tackle other agricultural issues, including classification, prediction of the various

diseases of crops, and computer vision and image analysis. The general advantages of profound learning empower its further use towards more intelligent, more supportable cultivating, and safer food creation. The automatic frameworks presented in current literature can be fabricated, giving early warning of diseases of the crops. A mix of picture handling and AI methods can offer specialists the freedom to address issues in different areas that affect society directly.


### 1.1. Automation techniques categorization

The utilization of Artificial Intelligence (AI) in agriculture will be enabled by various technological advances, including big data analytics, computer vision, the internet of things, robotics, drone technology, the availability of cheap cameras and sensors, and even wide-scale internet coverage on geographically dispersed fields<sup>[2]</sup>. Among the accessible instruments of Artificial Technology, we feature Computer Vision arrangements that accomplished significant outcomes in recognizing plant diseases using pictures. To meet the growing demand for fast and accurate methods in monitoring grain production, the use of computer vision has grown in recent years<sup>[4-8]</sup>. The usage of automation techniques in the agriculture field is increasing exponentially. These automation techniques affect the crop yield in a positive manner, which indirectly affects the economy of any country. The application of AI techniques in the agriculture processes, as discussed in the above sections, is a hot topic in the research field also. The most popular applications of AI techniques in the agriculture processes mainly fall into three categories discussed below:

- Agriculture Robots: Companies were developing and programmed autonomous robots which handle the essential tasks, which include harvesting, weed control, sowing at a higher volume and faster pace than humans do, e.g., Blue River technology used for weed control, CROO Robots for crop harvesting.
- Crop and Soil Monitoring: In this field, the data captured by the drones, sensors, or software is processed using AI techniques which can help the farmers during crop monitoring or other effects of soil on crop yield, e.g., PEAT, TRACE Genomics uses machine learning for diagnosing the soil defects.
- Predictive Analysis: The effect of the environment affects the crop yield in different manners. In this area, other learning models are used to track and predict various environmental impacts on the crop yield, e.g., where satellites are used to monitor the weather conditions, crop health & sustainability.

### 1.2. Computer vision: Definition

Computer vision is a logical interdisciplinary field that manages how Computers can acquire a significant understanding of computerized images or recordings. From the perspective of designing, it tries to comprehend and computerize assignments that the human visual framework can do<sup>[9-15]</sup>. **Figure 1** shows the generalized approach of the computer vision techniques for precision agriculture.




**Figure 1.** Generalized steps for computer vision techniques for the classification of the images.

## 2. Literature survey

As per Broadus (1987), bibliometrics is a research field that quantitatively considers bibliographic material, which provides an overall outline of an exploration field according to a broad scope of markers (citations, h-index, publications, and so forth)<sup>[16–22]</sup>. The data for the bibliographic study is taken from the Scopus database using different filters described in this section. The number of publications published in the Scopus database from the year 1991 to 2023 is assumed. Two keywords are used for the searching process using AND, i.e., “Computer Vision” AND “Crop Management”. The total number of documents retrieved is 312 using the above-said filters from the Scopus database. The “VOS viewer software package” is used for the bibliometric analysis is done on different parameters of the documents published from 1991 to 2023 in SCOPUS. The number of publications is increasing every year, as shown in **Table 1**, this indicates that automation technologies in the agriculture field are growing with time. For making the agriculture processes more efficient, automation techniques are increasing, and the said field innovations are also growing<sup>[23–28]</sup>. Computer vision technology is used in the early stages of crop harvesting to detect plant diseases early. The **Figure 2** shows the publications of the specific country, the citations of the country’s documents, and the link strength graphically.


**Table 1.** Year-on-year basis trends of the number of publications and cumulative publications.

Year	No. of publications	Cumulative Publications
1991	1	1
1994	1	2
1996	2	4
1997	1	5
1998	1	6
1999	2	8
2000	1	9
2002	1	10
2003	2	12
2004	3	15
2005	3	18
2006	2	20
2007	6	26
2008	7	33
2009	2	35
2010	5	40
2011	10	50
2012	4	54
2013	2	56
2014	10	66
2015	7	73
2016	17	90
2017	16	106
2018	16	122
2019	13	135
2020	43	178
2021	46	224
2022	60	284
2023	28	312



**Figure 2.** The number of documents, citations on countries.

The graph is drawn using the data retrieved from the Scopus database, which shows the highest number of papers published by the United States followed by China, India, and so on. The citations of the documents of the United States are also higher than any other country, followed by Brazil, Japan, Spain, and so on. The **Figure 3** is retrieved using the Vosviewer software and Scopus data, in which pictorially the role of the different countries as mentioned.




**Figure 3.** The number of publications, citations, and link strength on countries were obtained using the VOSviewer tool.

The size of the bubble shows the role of that countries, that the United States has the highest number of publications.

## Occurrences of the keywords related to computer vision

In our study using the Scopus database, the main categories we differentiated from the data using Vosviewer Software Tool are Computer Vision, Deep Learning, Machine Learning & Agriculture Robots. The said terms are retrieved from the data and how their occurrences affect the research areas. **Figure 4** describes the technology of the computer vision used as the application of AI technology in agriculture lead concerning the other technology as per the data retrieved from the Scopus database.




**Figure 4.** The occurrences of the terms we categorized in the data retrieved from SCOPUS.

The second technology after computer vision is image processing, followed by deep learning, agricultural robots, and machine learning. The exact figure of the occurrences of the categories are mentioned in the **Table 2** below.

**Table 2.** Technologies and their occurrences in the database retrieved from SCOPUS.

S.No.	Keyword	Occurrences
1	Computer Vision	109
2	Image Processing	43
3	Deep Learning	22
4	Agricultural Robots	13
5	Machine Learning	13

The categories we mentioned in the **Figure 5** show that computer vision leads the used technology. There is a scope of work in the research field in machine learning technology. It becomes even more apparent from the figure below, retrieved using the VOS viewer Software Tool, and gives the exact idea of the research scope in the above-said field.



**Figure 5.** Cloud density of the technologies used in research articles.

### 3. Methodology

Image Acquisition is the first process is to retrieve the image from the available sources which is called as Image Acquisition. Image acquisition for the required purpose depends upon the dataset we are using for the plant diseases. The image acquisition can be done for two phases two phases i.e., Training of the model & Testing of the model. For training of the model, the image is taken from the authentic dataset used. And for testing, either take image from camera or select from gallery on which pre-processing is done and later on algorithm test that particular image.

Dataset Description: The datasets which are available free on KAGGLE, IMAGENET or other authentic and free sources can be used for the training and testing of the purpose of the developed AI model.

#### 3.1. Image pre-processing

Before passing the image to the algorithm for testing and training, it should be pre-processed. For that reason, the image has been reduced to certain ratio say  $n$  by  $n$  pixels. The color conversion techniques can also be applied for the pre-processing process. The pre-processing techniques gives the appropriate image that can be used for further processing in the model and the retrieved pre-processed image can be passed through the model for training and testing purposes of the model.

#### 3.2. Image passed through the developed model for processing

The pre-processing of the image is followed by the training of the model in which the processed images are passed through the developed model for the training of the model. Model using the techniques of AI are used and the model and after the training process, the resultant model is called Trained model. The classification of the images is done using the trained model by which the diseases of the plant are classified. The figure below shows the chronology of the research approach in which the example of CNN Model is taken and this CNN model is trained using the images from the dataset. Every image from the dataset is firstly pre-processed and then used to train the model. After training process is completed, the model is ready for the second process called validation. Plant diseases detection using AI involves the application of various machine

learning and computer vision techniques to identify and classify diseases affecting plants. Here is an overview of the process:

- 1) **Data collection:** Gather a large dataset of plant images that contain healthy plants as well as various diseased plants. The dataset should cover different plant species and a wide range of diseases to ensure robustness and generalization.
- 2) **Data pre-processing:** Pre-process the collected images by resizing them to a consistent size, normalizing the pixel values, and potentially applying other transformations like cropping, rotation, or flipping. This step helps to enhance the quality of the input data and remove any noise or artifacts.
- 3) **Training a deep learning model:** Utilize a deep learning model, such as a Convolutional Neural Network (CNN), to learn the patterns and features indicative of various plant diseases. The model is trained using the pre-processed dataset, where it learns to associate image characteristics with specific disease classes.
- 4) **Validation and fine-tuning:** Split the dataset into training and validation sets to evaluate the model's performance. Adjust the model's hyperparameters, such as learning rate, batch size, or network architecture, through techniques like cross-validation or grid search. This step helps optimize the model's accuracy and generalization capabilities.
- 5) **Testing and evaluation:** Evaluate the trained model on a separate test set to assess its performance. Calculate metrics like accuracy, precision, recall, and F1-score to measure how well the model can classify healthy and diseased plants. Consider using confusion matrices to analyse the performance across different disease classes.
- 6) **Deployment and inference:** Once the model demonstrate satisfactory performance, it can be deployed for real-time or near real-time inference. Develop an application or system where users can upload images of plant leaves or affected parts. The AI model analyses the images and provides predictions about the presence or absence of diseases.
- 7) **Continual improvement:** Maintain a feedback loop with users to collect their input and improve the model over time. Incorporate user feedback and new data into the training pipeline periodically to update and fine-tune the model, ensuring its adaptability to emerging diseases or variations in the environment.

It's important to note that the success of plant disease detection using AI relies heavily on the availability of high-quality datasets, the selection of appropriate deep learning architectures, and the continuous improvement of the model through iterative training and validation processes.

## 4. Experimental results

Image Acquisition is the first process is to retrieve the image from the available sources which is called as Image Acquisition. Image acquisition for the required purpose depends upon the dataset we are using for the plant diseases. The image acquisition can be done for two phases two phases i.e., Training of the model & Testing of the model. For training of the model, the image is taken from the authentic dataset used. And for testing, either take image from camera or select from gallery on which pre-processing is done and later on algorithm test that particular image.

**Dataset Description:** The datasets which are available free on KAGGLE, IMAGENET or other authentic and free sources can be used for the training and testing of the purpose of the developed AI model. There are 38 classes in the different datasets which is divided into train and validate dataset. There are lakhs of images that are available for these 38 classes of the plants on the above-mentioned datasets which includes diseased as well as healthy plant leaves. Train and validate sets have 38 classes<sup>[29-33]</sup>.

### 4.1. Image pre-processing

Before passing the image to the algorithm for testing and training, it should be pre-processed. For that reason, the image has been reduced to certain ratio say  $n$  by  $n$  pixels. The colour conversion techniques can



also be applied for the pre-processing process. The pre-processing techniques gives the appropriate image that can be used for further processing in the model and the retrieved pre-processed image can be passed through the model for training and testing purposes of the model.

Below are the different steps to be implemented in the image pre-processing:

- rescale: adjust the pixel values between 1 and 255.
- flow\_from\_directory: this function reads pictures out of folders and large numpy arrays.
- batch\_size: The number of photos that each batch will receive from the generator.
- the supplied picture size, target\_size, determines how big each image will be enlarged to:  $128 \times 128$ . Because there are 39 classes, class\_mode is set to categorical.
- seed: A random seed that is used to shuffle the image's order and apply random image augmentation.
- shuffle: Select True to shuffle the sequence in which the image is supplied; select False otherwise.

Then in the next stage code is implemented<sup>[34-44]</sup> to check whether any unsupported images are present the dataset, if the folder contains noisy images, it will stop executing there only. So, it will show the path you need to go there and delete that image note for validate set also.

#### 4.2. Image passed through the developed model for processing

The pre-processing of the image is followed by the training of the model in which the processed images are passed through the developed model for the training of the model. Model using the techniques of AI are used and the model and after the training process, the resultant model is called Trained model. The classification of the images is done using the trained model by which the diseases of the plant are classified. The figure below shows the chronology of the research approach in which the example of CNN Model is taken and this CNN model is trained using the images from the dataset. Every image from the dataset is firstly pre-processed and then used to train the model. After training process is completed, the model is ready for the second process called validation.

The **Figure 6** shows the steps of the proposed CNN model with 4 convolutions where it is training with 39 classes and running with 50 epochs and learning rate is 0.001. The below figure gives the generalized view of the proposed model which is trained and validated using the data described above.







Figure 6. Steps of the proposed model using CNN Technique.


### 4.3. Visualizing accuracy and loss values

For visualizes the accuracy and loss values of the model trained using the data, below is the implementation technique, which gives the accuracy and loss values of the mode in a graph. For the data visualization, widely used package in Python is MATPLOTLIB and for describing the elements of the graph, a function called legend () is used to place the legend on the axes<sup>[45]</sup>.

**Figures 7** and **8** obtained after the implementation of the above code. The two graphs show the accuracy and loss values of the model trained and validated.



**Figure 7.** Accuracy of the model after training and validation of the data.



**Figure 8.** Loss of the model after training and validation of the data.

The training accuracy and validation accuracy of the trained and validated model can be calculated using the len() function as follows:

```
# Training Accuracy
y=len(acc)
n=sum(acc)
print("Train Accuracy")
print(n/y)
#validation Accuracy
x=len(acc)
```

```
m=sum(val_acc)
print("Validation Accuracy")
print(m/x)
```

After execution of the above functions the obtained training and validation accuracy of the model are:

Train Accuracy: 0.968598234653473

Validation Accuracy: 0.9282497251033783

## 5. Conclusion

In conclusion, the use of a Convolutional Neural Network (CNN) model for plant disease detection holds significant potential in revolutionizing the agricultural industry. By leveraging the power of deep learning and image recognition techniques, CNN models can accurately and efficiently identify various diseases affecting plants, leading to early detection, prevention, and effective crop management.

In summary, the utilization of CNN models for plant disease detection represents a significant advancement in agriculture. With their ability to accurately identify diseases, these models can assist farmers and plant pathologists in making informed decisions for disease management, contributing to improved crop yields, reduced losses, and more sustainable agricultural practices. As further research and technological advancements continue, CNN models have the potential to play a pivotal role in transforming the way plant diseases are diagnosed and managed worldwide.

## Author contributions

Conceptualization, AV and SC; methodology, AV; software, AV; validation, AV and SC; formal analysis, AV; investigation, AV and SC; resources, AV; writing—review and editing, AV; visualization, AV; supervision, SC; project administration, SC; funding acquisition, AV. All authors have read and agreed to the published version of the manuscript.

## Conflicts of interest

The authors declare no conflict of interest.

## References

1. Phadikar S. Classification of Rice Leaf Diseases Based on Morphological Changes. *International Journal of Information and Electronics Engineering*. Published online 2012. doi: 10.7763/ijjee.2012.v2.137
2. Mukherjee M, Pal T, Samanta D. Damaged Paddy Leaf Detection Using Image Processing. *J. Glob. Res. Comput. Sci.* 2012; 3(10): 2010–2013.
3. Venugoban K, Ramanan A. Image Classification of Paddy Field Insect Pests Using Gradient-Based Features. *International Journal of Machine Learning and Computing*. Published online February 2014: 1-5. doi: 10.7763/ijmlc.2014.v4.376
4. Kumar Singh A, Raja B. Classification of Rice Disease Using Digital Image Processing and Svm Classifier. *Int. J. Electr. Electron. Eng.* 2015; 7(1): 294-299.
5. Islam R, Rafiqul Md. An Image Processing Technique to Calculate Percentage of Disease Affected Pixels of Paddy Leaf. *International Journal of Computer Applications*. 2015; 123(12): 28-34. doi: 10.5120/ijca2015905495
6. Chung CL, Huang KJ, Chen SY, et al. Detecting Bakanae disease in rice seedlings by machine vision. *Computers and Electronics in Agriculture*. 2016; 121: 404-411. doi: 10.1016/j.compag.2016.01.008
7. Ding W, Taylor G. Automatic moth detection from trap images for pest management. *Computers and Electronics in Agriculture*. 2016; 123: 17-28. doi: 10.1016/j.compag.2016.02.003
8. Liu Z, Gao J, Yang G, et al. Localization and Classification of Paddy Field Pests using a Saliency Map and Deep Convolutional Neural Network. *Scientific Reports*. 2016; 6(1). doi: 10.1038/srep20410
9. Lu Y, Yi S, Zeng N, et al. Identification of rice diseases using deep convolutional neural networks. *Neurocomputing*. 2017; 267: 378-384. doi: 10.1016/j.neucom.2017.06.023
10. Prajapati HB, Shah JP, Dabhi VK. Detection and classification of rice plant diseases. *Intelligent Decision Technologies*. 2017; 11(3): 357-373. doi: 10.3233/idt-170301
11. Pinki FT, Khatun N, Islam SMM. Content based paddy leaf disease recognition and remedy prediction using

- support vector machine. 2017 20th International Conference of Computer and Information Technology (ICCI). Published online December 2017. doi: 10.1109/iccitechn.2017.8281764
12. Qing YAO, Guo-te C, Zheng W, et al. Automated detection and identification of white-backed planthoppers in paddy fields using image processing. *J. Integr. Agric.* 2017; 16(7): 1547-1557. doi: 10.1016/S2095-3119(16)61497-1
  13. Lurstwut B, Pornpanomchai C. Image analysis based on color, shape and texture for rice seed (*Oryza sativa* L.) germination evaluation. *Agriculture and Natural Resources.* 2017; 51(5): 383-389. doi: 10.1016/j.anres.2017.12.002
  14. Suresha M, Shreekanth KN, Thirumalesh BV. Recognition of diseases in paddy leaves using knn classifier. 2017 2nd International Conference for Convergence in Technology (I2CT). Published online April 2017. doi: 10.1109/i2ct.2017.8226213
  15. Kumar P, Negi B, Bhoi N. Detection of Healthy and Defected Diseased Leaf of Rice Crop using K-Means Clustering Technique. *International Journal of Computer Applications.* 2017; 157(1): 24-27. doi: 10.5120/ijca2017912601
  16. R R, Park D. A Multiclass Deep Convolutional Neural Network Classifier for Detection of Common Rice Plant Anomalies. *International Journal of Advanced Computer Science and Applications.* 2018; 9(1). doi: 10.14569/ijacsa.2018.090109
  17. Rajmohan R, Pajany M, Rajesh R, et al. Smart paddy crop disease identification and management using deep convolution neural network and SVM classifier. *Int. J. Pure Appl. Math.* 2018; 118(15): 255-264.
  18. Barpanda NK, Rath A. Measurement of Disease Severity of Rice Crop Using Machine Learning and Measurement of Disease Severity of Rice Crop Using Machine Learning and Computational Intelligence. 2018.
  19. Xiao M, Ma Y, Feng Z, et al. Rice blast recognition based on principal component analysis and neural network. *Computers and Electronics in Agriculture.* 2018; 154: 482-490. doi: 10.1016/j.compag.2018.08.028
  20. Shrivastava VK, et al. Rice plant disease classification using transfer learning of deep. 2019; XLII: 18-20.
  21. Rahman R, Arko PS, Ali ME, et al. Identification and Recognition of Rice Diseases and Pests Using Convolutional Neural Networks. 2018.
  22. Liang W jie, Zhang H, Zhang G feng, et al. Rice Blast Disease Recognition Using a Deep Convolutional Neural Network. *Scientific Reports.* 2019; 9(1). doi: 10.1038/s41598-019-38966-0
  23. Verma T, Dubey S. Fuzzy-filtered neural network for rice disease diagnosis using image analysis. *Int. J. Innov. Technol. Explor. Eng.* 2019; 8(8): 437-446.
  24. Ramesh S, Vydeki D. Recognition and classification of paddy leaf diseases using Optimized Deep Neural network with Jaya algorithm. *Information Processing in Agriculture.* 2020; 7(2): 249-260. doi: 10.1016/j.inpa.2019.09.002
  25. Ahmed K, Shahidi TR, Irfanul Alam SMd, et al. Rice Leaf Disease Detection Using Machine Learning Techniques. 2019 International Conference on Sustainable Technologies for Industry 40 (STI). Published online December 2019. doi: 10.1109/sti47673.2019.9068096
  26. Gayathri Devi T, Neelamegam P. Image processing based rice plant leaves diseases in Thanjavur, Tamilnadu. *Cluster Computing.* 2018; 22(S6): 13415-13428. doi: 10.1007/s10586-018-1949-x
  27. Bhattacharya S. A Deep Learning Approach for the Classification of Rice Leaf Diseases. 2021.
  28. Rautaray SS, Pandey M, et al. Paddy Crop Disease Prediction- A Transfer Learning Technique. *International Journal of Recent Technology and Engineering (IJRTE).* 2020; 8(6): 1490-1495. doi: 10.35940/ijrte.f7782.038620
  29. Jadhav SB, Udupi VR, Patil SB. Identification of plant diseases using convolutional neural networks. *International Journal of Information Technology.* 2020; 13(6): 2461-2470. doi: 10.1007/s41870-020-00437-5
  30. Bansal P, Kumar R, Kumar S. Disease Detection in Apple Leaves Using Deep Convolutional Neural Network. *Agriculture.* 2021; 11(7): 617. doi: 10.3390/agriculture11070617
  31. Trivedi NK, Gautam V, Anand A, et al. Early Detection and Classification of Tomato Leaf Disease Using High-Performance Deep Neural Network. *Sensors.* 2021; 21(23): 7987. doi: 10.3390/s21237987
  32. Ishengoma FS, Rai IA, Ngoga SR. Hybrid convolution neural network model for a quicker detection of infested maize plants with fall armyworms using UAV-based images. *Ecological Informatics.* 2022; 67: 101502. doi: 10.1016/j.ecoinf.2021.101502
  33. 2021 PUNAM plant disease detection using hybrid model.pdf.
  34. Hassan SM, Maji AK. Plant Disease Identification Using a Novel Convolutional Neural Network. *IEEE Access.* 2022; 10: 5390-5401. doi: 10.1109/access.2022.3141371
  35. Turkoglu M, Yanikoglu B, Hanbay D. PlantDiseaseNet: convolutional neural network ensemble for plant disease and pest detection. *Signal, Image and Video Processing.* 2021; 16(2): 301-309. doi: 10.1007/s11760-021-01909-2
  36. Rajbongshi A, Khan T, Rahman MdM, et al. Recognition of mango leaf disease using convolutional neural network models: a transfer learning approach. *Indonesian Journal of Electrical Engineering and Computer Science.* 2021; 23(3): 1681. doi: 10.11591/ijeecs.v23.i3.pp1681-1688
  37. Zhao S, Peng Y, Liu J, et al. Tomato Leaf Disease Diagnosis Based on Improved Convolution Neural Network by Attention Module. *Agriculture.* 2021; 11(7): 651. doi: 10.3390/agriculture11070651
  38. Bhujel A, Kim NE, Arulmozhi E, et al. A Lightweight Attention-Based Convolutional Neural Networks for Tomato Leaf Disease Classification. *Agriculture.* 2022; 12(2): 228. doi: 10.3390/agriculture12020228
  39. Chug A, Bhatia A, Singh AP, et al. A novel framework for image-based plant disease detection using hybrid deep

- learning approach. *Soft Computing*. 2022; 27(18): 13613-13638. doi: 10.1007/s00500-022-07177-7
40. Azadnia R, Al-Amidi MM, Mohammadi H, et al. An AI Based Approach for Medicinal Plant Identification Using Deep CNN Based on Global Average Pooling. *Agronomy*. 2022; 12(11): 2723. doi: 10.3390/agronomy12112723
  41. Kumar Sahu S, Pandey M. An optimal hybrid multiclass SVM for plant leaf disease detection using spatial Fuzzy C-Means model. *Expert Systems with Applications*. 2023; 214: 118989. doi: 10.1016/j.eswa.2022.118989
  42. Asif Saleem M, Aamir M, Ibrahim R, et al. An Optimized Convolution Neural Network Architecture for Paddy Disease Classification. *Computers, Materials & Continua*. 2022; 71(3): 6053-6067. doi: 10.32604/cmc.2022.022215
  43. Chauhan S, Jha A, Kumar A, Daniel P. Analysis and Speech Recognition of Under-Resourced Kangri Dialect with Ensemble Model. *Journal of Critical Reviews*. 2020; 7(17): 2683-2689.
  44. Chauhan S, Saxena S, Daniel P. Enhanced unsupervised neural machine translation by cross lingual sense embedding and filtered back-translation for morphological and endangered Indic languages. *Journal of Experimental & Theoretical Artificial Intelligence*. Published online November 1, 2022: 1-14. doi: 10.1080/0952813x.2022.2135612
  45. Chauhan S, Pant U, Mustafa, Daniel P. A robust unsupervised word by word translation for morphological rich languages using different retrieval techniques. *Journal of Critical Reviews*. 2020; 7(17): 2677-2684.